

**1973** SEIT

**CATALOG**  
**2023 | 2024**



**WORK AND PROTECTIVE GLOVES**

We vouch for their reliability for 50 years

## Contents

### **ABOUT THE BRAND 03**

list of technologies and standards 04

### **RS METALLINDUSTRIE 06**

welding and heat protection

### **RS SCHWERINDUSTRIE 10**

heavier and general work

### **RS LEICHTINDUSTRIE 14**

precise and assembly work

### **RS CHEMIEINDUSTRIE 20**

chemical protection


### **RS KÄLTE 22**

cold protection

### **RS HARDWARE 26**

tactics, hobby and gardening

### **RS GLOVES GUIDE 30**



## 50 YEARS AGO, IN THE CITY OF KALTENKIRCHEN IN GERMANY, THE BRAND OF PROTECTIVE GLOVES RS WAS BORN.

From the very beginning, the creators set themselves the goal of providing the demanding German industry with **reliable, durable and trustworthy products**. In this way, a range of gloves made with care was selected, also bearing in mind the **stability and fixed quality of the products offered**. 25 years ago RS gloves, as a synonym of class products, reached the French, Russian and Polish markets. Today, in the 21st century, our basic assumptions have not changed. **Gloves are still meant to be reliable**. While others lower the quality of their products, we focus on invariable first class our gloves, reliable performance and **customer satisfaction**.

SEIT

## The long tradition of the RS brand and relying on proven solutions does not exclude the use of the latest technologies.

Bearing in mind the development and improvement of our products, we use solutions that provide the gloves with even greater reliability. Technologies and materials used in the production of our gloves:




### SANITIZED ACTIFRESH

Swiss standard Sanitized Actifresh® is a technology that has been used all over the world for many years and offers the assurance of antibacterial protection. It helps keep your hands fresh and dry during long, all-day work. The main task is the protection against the multiplication of bacteria, fungi, mould, mites, and thus counteract undesirable odours by antibacterial treatment of various materials.



### KEVLAR

Kevlar fibre was marketed in military and aviation equipment. Today, thanks to this technology becoming more common, we can appreciate its presence in personal protection means. Gloves made of Kevlar fibre are characterised by fire retardancy and exceptional durability, which is extremely important, e.g. in the case of welding gloves.



### R - HYTRIX

Abrasion is a key parameter for nitrile gloves. The R-HyTriX technology guarantees a high class of resistance to friction, which translates into an increase in the user safety while working in a difficult environment. The quality of nitrile used in R-HyTriX technology gloves is evident through the long service life of the glove without losing its properties.



### WATERPROOF

Work comfort in an environment where a glove may start leaking due to low temperature or moisture, cannot be underestimated. Waterproof technology protects glove users against such situations, providing water resistance.



### THINSULATE

Patented technology related to the insulation of various types of products intended for the cold environment. It has found its application in the production of work gloves, both those designed for outdoor work under conditions of reduced temperature, as well as in cold rooms. Thinsulate material has gained popularity due to a number of properties beyond the thermal insulation itself – resistance to water, which is extremely important when working in a cold environment, washability, as well as air permeability, which allows the breathability of the material and hand in the glove.



### OVER-TECH

RS gloves equipped with the Over-Tech system have a high nitrile injection rate, which means that their strength significantly exceeds the standard resistance of nitrile gloves. This is related to the method of applying layers of nitrile and its higher concentration. Thanks to this technology, work in an oily and wet environment does not cause any problems.



### LATEX FREE

Gloves with this symbol are safe for people suffering from allergies to materials containing latex. Nitrile gloves are marked like that - nitrile is a synthetic latex, not causing allergic reactions in people who do not tolerate latex.



### HEAT STOP IMPREGNATION

What is the most valuable for people working in a hot environment, exposed to long-lasting high temperatures and the danger of falling sparks? Definitely fire resistance. The technology of impregnation of RS brand welding gloves meets this need. Heat Stop Impregnation is a solution that ensures job security in one of the harshest environments. Made for welders.

**INS-TECH**

### INS-TECH

Insulation system that provides comfort in a low temperature environment. Gloves equipped with this technology perfectly insulate and reduce the negative impact of cold factors on the hands and comfort of the user.



### CARBON FIBER

Carbon fibre is a modern structure that allows the discharge of electrostatic charges in the fabric in an orderly and stable manner, while maintaining the safety of the product and people in an environment where there are electrostatic hazards.




### PREMIUM GLOVES

Premium Gloves are our distinguished products, tested by users and successfully operating on the market for many years. They were constructed with the elaboration of the smallest details, materials that ensure reliability and comfort of use.



### COTTON COMFORT

Cotton is one of the most popular materials of everyday clothing, successfully fulfilling its role in protective gloves. Cotton insert used in many RS glove models provides comfort and allows the skin to breathe, thus reducing the sweating of your hand during work.



### R-TH FORMULA

In response to chemical hazards related to the environment of corrosive substances, the RS brand has equipped its chemical line gloves with the R-Th Formula technology. The applied coating protects employees' hands against penetration and permeation of substances dangerous to health through the glove.



### NATUR

Gloves bearing this sign are made of natural materials only.



### EN 420 STANDARD

This is the most basic standard. It defines the general scope of the product's functioning as a protective glove - an appropriate way of marking with pictograms, possession of instructions for use, fulfilment of the basic functions of protective gloves - functional, effective, not harmful to health.



### EN 388 STANDARD

The standard refers to the mechanical resistance of protective gloves. It includes susceptibility to abrasion, cuts, tears and punctures. Gloves that have this standard are qualified to the second category of protection.



### EN 374 STANDARD

Refers to protection against chemical substances and against microorganisms. Depending on its type, it is marked with an appropriate pictogram - a biological threat (bacteria and fungi) or a chemical one. Their classification depends on the type of substance (labelled with the appropriate letter) and on the time of penetration and permeation.



### EN 407 STANDARD

Standard informing about resistance of the glove to high temperature and fire. Below the pictogram there are six digits indicating resistance to rays, contact heat, convection heat, radiation heat, small splashes of molten metal and large amounts of molten metal.



### EN 511 STANDARD

Standard for protection against cold, including levels of resistance to convection cold, contact cold and water penetration.



### PN-EN 16350 STANDARD

This standard defines parameters related to antistatic protection. It is met by gloves that do not collect static electricity to prevent electrical ignition, admitted to potentially explosive zones.



**CE**

A certificate that declares that a product meets the requirements of all applicable European Union directives.

06

WORK AND PROTECTIVE GLOVES



Welding and heat protection



**METALLINDUSTRIE**

## RS SPLIT KEV

Split Kev is made of high quality cow split increased density leather and endowed with Heat Stop Impregnation system. Reliable protection in a hot working environment.



made of high quality cow split increased density leather  
**prolonged operation**

all seams on the glove are made with the original heat-resistant Kevlar yarn  
**slow-burning**

the palm and upper parts are made of entire pieces of leather without stitching  
**increases its long-term use even at high temperatures**

Cotton Comfort - a high quality cotton lining  
**absorbs sweat**

an elongated cuff  
**protects the forearm and allows immediately to throw the glove down**

## RS TIGON PREMIUM

Welding gloves made of high quality cow leather. The use of grain cow leather allows to achieve a perfect balance between precise grip and durability of the glove during TIG welding.



high quality grain cow leather  
**balance between precise grip and durability of the glove**

all seams on the glove are made with specially impregnated double-thread thick cotton  
**strengthening of the glove**

impregnated cuff  
**increases its long-term use even at high temperatures**

the glove doesn't have lining  
**precise work during TIG welding**

an elongated cuff  
**additionally protects the forearm and allows you immediately to throw the glove down**

STANDARDS	EN 388:2016 (3233X), EN ISO 21420:2020, EN 407:2020 (422X4X), EN 12477:2001+A1:2005 TYPE A
TECHNOLOGIES	Kevlar, Heat Stop Impregnation, Cotton Comfort
SIZES	10, 11




STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EN 407:2004 (422X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Kevlar, Heat Stop Impregnation
SIZES	8, 9, 10, 11




## Welding and heat protection

The hot environment of the energy, metallurgy and fuel industries is the place where our RS Metallindustrie welding gloves will be used. All gloves in this series have seams reinforced with Kevlar thread or double cotton thread, for even better performance of fireproof function even with prolonged exposure to high temperature environment.

### Standards



### Technologies





METALLINDUSTRIE

## HEAT STOP IMPREGNATION

What is the most valuable for people working in a hot environment, exposed to long-lasting high temperatures and the danger of falling sparks? Definitely fire resistance. The technology of impregnation of RS brand welding gloves meets this need. Heat Stop Impregnation is a solution that ensures job security in one of the harshest environments. Made for welders.



HEAT STOP  
IMPREGNATION

## RS JUMBO

An indicator of quality for available in the market the best welding gloves. Strict standards applicable to the density and thickness of the leather guarantee the highest quality of the gloves.



double seams, made with the original heat-resistant yarn Kevlar  
**slow-burning**

impregnated leather  
**fire proof impregnation**

soft trimming and the fact that the seams are hidden inside the lining  
**increases its long-term use even at high temperatures**

Cotton Comfort - a high quality cotton lining  
**absorbs sweat**

the excellent glove pads used in JUMBO gloves manufacturing perfectly imitate the shape of the welder's hand during working  
**enables ergonomic bending without causing scratches and doesn't block welding movements**

STANDARDS	EN 388:2016+A1:2018 (4243X), EN 407:2020 (413X4X), EN 12477:2001+A1:2005 (TYPE A), EN ISO 21420:2020
TECHNOLOGIES	Kevlar, Heat Stop Impregnation, Cotton Comfort
SIZES	10, 11



high quality split cow leather  
**prolonged operation**


double seams, made with the original heat-resistant yarn Kevlar  
**slow-burning**

Cotton Comfort - a high quality cotton lining  
**absorbs sweat**

the excellent glove pads used in gloves manufacturing perfectly imitate the shape of the welder's hand during working  
**enables ergonomic bending without causing scratches and doesn't block welding movements**

## RS COMFORT PREMIUM

STANDARDS	EN 388:2016 (4244X), EN 420:2003+A1:2009, EN 407:2004 (413X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Kevlar, Heat Stop Impregnation, Cotton Comfort
SIZES	10



made of high quality cow split increased density leather  
**increased cohesion**

all seams on the glove are made with specially impregnated double-thread thick cotton  
**strengthening of the glove**

Cotton Comfort - a high quality cotton lining  
**absorbs sweat**

manufactured without use of non-natural color dyes  
**it doesn't stain hands and clothing**

an elongated cuff  
**additionally protects the forearm and allows you immediately to throw the glove down**

## RS SPLIT

STANDARDS	EN 388:2016 (3233X), EN ISO 21420:2020, EN 407:2020 (422X4X), EN 12477:2001+A1:2005 TYPE A
TECHNOLOGIES	Cotton Comfort, Heat Stop Impregnation, Natur
SIZES	9, 10, 11

## RS TIGON GOAT

Welding glove designed for TIG welding, made of high-quality grain goat leather. Part of the forearm is reinforced with split leather. The seams in the glove are double impregnated, which enables precise grip of the lance and gives increased durability.



high quality grain goat leather  
**balance between precise grip and durability of the glove**

all seams on the glove are made with specially impregnated double-thread thick cotton  
**strengthening of the glove**

the palm and upper parts are made of entire pieces of leather without stitching  
**increases its long-term use even at high temperatures**

the glove doesn't have lining  
**precise work during TIG welding**

the glove is manufactured without use of non-natural color dyes  
**it doesn't stain hands and clothing**

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EN 407:2004 (422X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Heat Stop Impregnation, Natur
SIZES	9, 10, 11



high quality grain cow leather  
**balance between precise grip and durability of the glove**

all seams on the glove are made with specially impregnated double-thread thick cotton  
**strengthening of the glove**

the palm and upper parts are made of entire pieces of leather without stitching  
**increases its long-term use even at high temperatures**

the glove doesn't have lining  
**precise work during TIG welding**

the glove is manufactured without use of non-natural color dyes  
**it doesn't stain hands and clothing**

## RS TIGON

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EN 407:2004 (422X4X), EN 12477:2001+A1:2005 (TYPE A), EAC TP TC 019/2011
TECHNOLOGIES	Heat Stop Impregnation, Natur
SIZES	9, 10, 11



resistance to contact heat up to 250 degrees

**the glove dedicated to hard environment: metallurgy, automotive, welding, molding**

mixed knit of cotton and polyester  
**hard to remove layer**

coated with nitrile  
**hydrophobic coat**

## RS THERM

STANDARDS	EN 388:2016 (3232X), EN 420:2003+A1:2009, EN 407:2004 (X2XXXX), EAC TP TC 019/2011
TECHNOLOGIES	Cotton Comfort, Heat Stop Impregnation
SIZES	10, 11



## KEVLAR

Kevlar fibre was marketed in military and aviation equipment. Today, thanks to this technology becoming more common, we can appreciate its presence in personal protection means. Gloves made of Kevlar fibre are characterised by fire retardancy and exceptional durability, which is extremely important, e.g. in the case of welding gloves.



10

WORK AND PROTECTIVE GLOVES



Heavier and general work



**SCHWERINDUSTRIE**

## RS SUPER-V

Working glove made of high-quality cow split leather with an additional patch of split leather sewn onto the palm part.



made of high-quality cow split leather  
**durability of the product**

an additional piece of split leather sewn onto the palm part  
**longer use of the glove**

index finger made of two layers of leather  
**additional reinforcement**


finished with a stiff cuff  
**additional protection for the forearm**



STANDARDS EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011

TECHNOLOGIES Natur

SIZES 10



cow split leather work glove  
**strengthening of the glove**

the strong threads and double seams  
**extend the life of the glove**

the elastication on the upper side of the glove  
**keeps the glove in a proper position on the wrist**

Cotton Comfort  
**allows the skin to breathe freely**

## RS SUPER HEAVY

STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10



flexible cow grain leather  
**combining mechanical resistance and durability with convenience**

soft lining inside the glove  
**prevents skin abrasions during long-term working**

Cotton Comfort  
**it allows skin to breathe freely**

the index finger (during working it's the most vulnerable place in this type of gloves) is trimmed with leather  
**provides full protection for your hand and extends the life of the gloves**

a rubberized hardened cuff  
**additionally protects the forearm and allows to tuck the protective clothing sleeve in the glove**

## RS TURR PREMIUM [AVAILABLE IN VARIOUS VARIANTS]

STANDARDS	EN 388:2016 (3121X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Cotton Comfort, Natur
SIZES	8, 9, 10, 11, 12




SCHWERINDUSTRIE

## Heavier and general work

The durability of our gloves designed for heavier and general work is appreciated by workers from the mining, fuel and metallurgical industries.

### Standards




### Technologies



COTTON COMFORT

LATEX FREE

OVER-TECH



R - HYTRIX



NATUR




SCHWERINDUSTRIE

## COTTON COMFORT

Cotton is one of the most popular materials of everyday clothing, successfully fulfilling its role in protective gloves. Cotton insert used in many RS glove models provides comfort and allows the skin to breathe, thus reducing the sweating of your hand during work.



COTTON COMFORT



flexible cow grain leather  
**combination of mechanical resistance and durability with comfort**

genuine leather and Cotton Comfort  
**it allows skin to breathe freely**

glove made of one piece of leather  
**prolonged operation**

soft lining inside the glove  
**prevents skin abrasions during long-term working**

a rubberized hardened cuff  
**additionally protects the forearm**

### RS STIER PREMIUM

STANDARDS	EN 388:2016+A1:2018 (3243X), EN 420:2003+A1:2009
TECHNOLOGIES	Cotton Comfort, Natur
SIZES	10



cow split leather work glove  
**strengthening of the glove**


the strong threads and double seams  
**extend the life of the glove**

the elastics on the upper side of the glove  
**keeps the glove in a proper position on the wrist**

Cotton Comfort  
**allows the skin to breathe freely**

### RS HEAVY

STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10, 11



palm part covered with split leather  
**protects the fiber against mechanical and thermal degradation when working with hot and rough elements**

a glove sewn with a kevlar thread  
**adapted to work in a hot environment**

anti-cut fiber  
**exceptional durability**

the index finger and the area between the thumb and index finger are trimmed with split leather  
**reinforcement of the glove**

### RS ELBE PRO

STANDARDS	EN 388:2016 (4544D), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	8, 9, 10, 11



denim material  
**allows the skin to breathe freely**

the elastics on the upper side of the glove  
**keeps the glove in a proper position on the wrist**

a rubberized hardened cuff  
**additionally protects the forearm**

### RS VIC TEC

STANDARDS	EN 388:2016 (4233X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	10, 11



- completely made of leather  
**It has no weakened elements**
- the glove doesn't have lining  
**ensuring high precision working**
- the glove is made exclusively of genuine leather  
**allows the skin to breathe freely, considerably reduces the sweating of hands and as a result reduces the risk of chafing and abrasions**
- a leather cuff  
**additionally protects forearm**




- selective cow grain leather  
**high quality leather, soft inside, durable on the outside**
- all made of one piece of leather  
**it has no weakened elements**
- the elastication at the glove end  
**additionally protects the forearm**
- extra element of leather in the wrist part  
**protection of the wrist**

### RS FAHRER [AVAILABLE IN ECONOMIC VERSION]

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11

### RS REITER

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	8, 9, 10, 11



- nitrile - triple coated  
**resistance to fats, oils and water**
- Over-Tech system  
**increased the durability of the nitrile coating**
- R-hyTriX  
**high class of rubbing resistance**
- Cotton Comfort  
**sweat absorption and density of the stitching**
- Sanitized Actifresh® standard  
**additionally protects the forearm and allows you immediately to throw the glove down**



- nitrile - double coated  
**resistance to fats, oils and water**
- Cotton Comfort  
**sweat absorption and density of the stitching**
- the hardened cuff  
**additionally protects the forearm and allows you immediately to throw the glove down**

### RS ZIRKON

STANDARDS	EN 388:2016 (4121X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Over-Tech, R-HyTriX, Latex Free, Cotton Comfort, Sanitized Actifresh
SIZES	10

### RS OPAL 800

STANDARDS	EN 388:2016 (4112X), EN 420:2003+A1:2009
TECHNOLOGIES	Latex Free, Cotton Comfort
SIZES	10, 11



SCHWERINDUSTRIE

### NATUR

Gloves bearing this sign are made of natural materials only.



NATUR



Precise and assembly work



**LEICHTINDUSTRIE**

## RS FEDER

Synthetic leather glove with a soft, cushioned, spongy structure in the insole.



synthetic leather with a soft, cushioned, spongy structure of the insole facilitates work requiring precision

terry material allows you to wipe away sweat

in the palm part "diamond grip" type material excellent grip, precision of the grip

spine tightened with an elastic band longer use of the glove

STANDARDS EN 420:2003+A1:2009, EN 388:2016 (2132X)

SIZES 7, 8, 9, 10, 11



ultra thin glove perfect grip and precision of work

high-quality polyurethane the glove leaves no traces on surfaces, even on glass

dust-free glove (does not contain cotton) each pair packed in a separate bag, so that when opened, there is no single speck of dust on it

finished with a welt keeps the glove in the right position

## RS FLOTT TEC

STANDARDS EN 388:2016 (2121X), EN 420:2003+A1:2009, EAC TP TC 019/2011

SIZES 6, 7, 8, 9, 10, 11



antistatic glove for work in an environment endangered with electrostatic properties

Carbon Fiber allows the discharge of naturally arising electric charges in an orderly manner

cut-resistant glove for work where a cut hazard exists

grip part covered with polyurethane reliable grip and precision even in difficult conditions

finished with a welt keeps the glove in place

an ultra-thin glove with a resilient weave a unique composition of fibers that provides both anti-cut and anti-electrostatic protection

## RS RAND ESD

STANDARDS EN 388:2016 (4342B), EN 420:2003+A1:2009, EN 16350:2014, EAC TP TC 019/2011

TECHNOLOGIES Carbon Fiber

SIZES 7, 8, 9, 10, 11



LEICHTINDUSTRIE

## Precise and assembly work

Precision – this is the word that best describes the nature of the work of the RS Leichtindustrie series gloves. The line includes assembly products for both dry and wet environments.

### Standards

EN 420



EN 388



EN 16350



### Technologies



LATEX FREE



OVER-TECH



R - HYTRIX



KEVLAR



COTTON COMFORT



CARBON FIBER



LEICHTINDUSTRIE

## OVER-TECH

RS gloves equipped with the Over-Tech system have a high nitrile injection rate, which means that their strength significantly exceeds the standard resistance of nitrile gloves. This is related to the method of applying layers of nitrile and its higher concentration. Thanks to this technology, work in an oily and wet environment does not cause any problems.



OVER-TECH



the palm coated with black latex  
the latex coating provides excellent grip and water resistance

covering only the palm part with latex  
allows the skin to breathe freely

soft ribbed wrist  
keeps the glove in a proper position on the wrist and doesn't affect blood circulation in your hand

### RS SAFE TEC BLACK

STANDARDS	EN 388:2016 (3142X), EN 420:2003+A1:2009, EN 407:2004 (X2XXXX), EAC TP TC 019/2011
SIZES	9, 10, 11



high quality polyurethane  
the glove does not leave marks on surfaces, even on glass

the glove is dustless  
each pair of gloves is packed in a separate sealed small bag


the proper structure of the palm coating  
the glove provides a secure grip

gloves' sizing  
allows you to choose the right size for your hand so as to ensure working in comfort

non tight ribbed wrist  
keeps the glove in a proper position on the wrist

### RS ULTRA TEC GREY

STANDARDS	EN 388:2016 (4131X), EN 420:2003+A1:2009
SIZES	6, 7, 8, 9, 10, 11



high quality polyurethane  
the glove does not leave marks on surfaces, even on glass

the glove is dustless  
each pair of gloves is packed in a separate sealed small bag

the proper structure of the palm coating  
the glove provides a secure grip

gloves' sizing  
allows you to choose the right size for your hand so as to ensure working in comfort

non tight ribbed wrist  
keeps the glove in a proper position on the wrist

### RS ULTRA TEC

STANDARDS	EN 388:2016 (4131X), EN 420:2003+A1:2009
SIZES	6, 7, 8, 9, 10, 11



elastic insole  
adjusts to the hand

a dense stitch glove  
guarantees thermal protection at a lower temperature than the room temperature

flexible latex coating  
excellent grip and precision of work

finished with a welt  
it stays on the hand

### RS HERBST


STANDARDS	EN 388:2016 (3142X), EN 420:2003+A1:2009, EN 407:2004 (X2XXXX), EAC TP TC 019/2011
SIZES	6, 7, 8, 9, 10, 11

## RS CONDUCTOR ESD [ALSO AVAILABLE WITH AND WITHOUT COATING OF FINGERTIPS]

Antistatic glove, knitted from soft white nylon and carbon fiber. The gripping part of the glove is coated with polyurethane. It prevents electric discharges and discharges charges in an orderly manner. Intended, for example, for plants producing electronic.



STANDARDS	EN 388:2016 (2121X), EN 420:2003+A1:2009, EN 16350:2014, EN 1149-2:1997, EAC TP TC 019/2011
TECHNOLOGIES	Carbon Fiber
SIZES	6, 7, 8, 9, 10, 11



### RS STROMER ESD

STANDARDS	EN 388:2016 (2121X), EN 420:2003+A1:2009, EN 16350:2014, EN 1149-2:1997, EAC TP TC 019/2011
TECHNOLOGIES	Carbon Fiber
SIZES	6, 7, 8, 9, 10, 11



### RS COMFO TEC [AVAILABLE ALSO IN WINTER VERSION]

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11



LEICHTINDUSTRIE

## CARBON FIBRE

Carbon fibre is a modern structure that allows the discharge of electrostatic charges in the fabric in an orderly and stable manner, while maintaining the safety of the product and people in an environment where there are electrostatic hazards.



CARBON FIBER



LEICHTINDUSTRIE

## NATUR

Gloves bearing this sign are made of natural materials only.



NATUR

## RS ECO TEC PREMIUM [AVAILABLE ALSO IN ECONOMIC VERSION]

An assembly reinforced goat selective grain leather glove, finished with Velcro. This dressing combines ergonomics at work and hand protection even in difficult conditions.



goat selective grain leather making the glove nice and soft inside and smooth outside

special cotton stitch causes elasticity and fits to the hand

the entirely trimmed with leather thumb provides full protection for your hand and extends the life of the glove by protecting the most vulnerable during working places on the glove

gloves' sizing allows you to choose the perfect size for your hand

Velcro fastening prevents sliding the glove off the hand

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	8, 9, 10



goat selective grain leather making the glove nice and soft inside and smooth outside

narrow patches of skin sewn between the toes they match the glove to the physical shape of the hand

the entirely trimmed with leather thumb provides full protection for your hand and extends the life of the glove by protecting the most vulnerable during working places on the glove

gloves' sizing allows you to choose the perfect size for your hand

Velcro fastening prevents sliding the glove off the hand

## RS SKIN TEC

STANDARDS	EN 388:2003 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
SIZES	9, 10



goat selective grain leather making the glove nice and soft inside and smooth outside


the entirely trimmed with leather thumb provides full protection for your hand and extends the life of the glove by protecting the most vulnerable during working places on the glove

gloves' sizing allows you to choose the perfect size for your hand

the elastics at the glove end keeps the glove in a proper position on the wrist

## RS SOFT TEC


STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11



- high quality flexible nitrile resistance to fats, oils and water
- Over-Tech system increased the durability of the nitrile coating
- R-HyTriX high class of rubbing resistance
- Cotton Comfort sweat absorption and density of the stitching
- Sanitized Actifresh® standard preventing the growth of fungi and bacteria in the glove
- a soft ribbed wrist keeps the glove in a proper position on the wrist and doesn't not affect blood circulation in your hand

### RS TOPAS

STANDARDS	EN 388:2016 (4111X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Over-Tech, R-HyTriX, Cotton Comfort, Sanitized Actifresh, Latex Free
SIZES	7, 8, 9, 10



- high quality flexible nitrile resistance to fats, oils and water
- glove fully coated with nitrile enables the work requiring water and oil resistance even when the hand is deeply submerged
- Over-Tech system increased the durability of the nitrile coating
- R-HyTriX high class of rubbing resistance
- Cotton Comfort sweat absorption and density of the stitching
- Sanitized Actifresh® standard preventing the growth of fungi and bacteria in the glove

### RS TOPAS VOLL

STANDARDS	EN 388:2016 (4111X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Over-Tech, R-HyTriX, Cotton Comfort, Sanitized Actifresh, Latex Free
SIZES	9



LEICHTINDUSTRIE

### R-HYTRIX

Abrasion is a key parameter for nitrile gloves. The R-HyTriX technology guarantees a high class of resistance to friction, which translates into an increase in the user safety while working in a difficult environment. The quality of nitrile used in R-HyTriX technology gloves is evident through the long service life of the glove without losing its properties.



- high quality flexible nitrile resistance to fats, oils and water
- Cotton Comfort sweat absorption and density of the stitching
- a soft ribbed wrist keeps the glove in a proper position on the wrist and doesn't not affect blood circulation in your hand
- gloves' sizing allows you to choose the perfect size for your hand

### RS CITRIN

STANDARDS	EN 388:2016 (4112X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Latex Free, Cotton Comfort
SIZES	7, 8, 9, 10, 11



- synthetic leather glove windproof and not absorbing water
- soft and comfortable glove work comfort
- finished with an elastic band it holds well on your hand

### RS SYNTH TEC

STANDARDS	EN 388:2016 (3131X), EN 420:2003+A1:2009, EAC TP TC 019/2011
SIZES	7, 8, 9, 10, 11



R-HYTRIX



Chemical protection



# CHEMIEINDUSTRIE

Gefahr      DANGER      Niebezpieczeństwo



## RS DUPLO

The glove is triple PVC coated. Made in the R-Th Formula system, which protects hands against penetration and soaking of hazardous substances. Resistant even to concentrated acids and bases. The roughened layer facilitates grip.



a mixture of PVC used in this glove has an increased concentration

**very durable and recommended to perform hard work**

the glove is coated with a PVC layer thrice

**better resistance**

in the palm area it has a rough surface

**better grip**

R-Th Formula

**provides resistance to fats, oils, water and resistance to chemical and microbiological hazards**

Cotton Comfort

**absorbs sweat and thus considerably improves comfort during long-term working**

Sanitized Actifresh® standard

**preventing the growth of fungi and bacteria in the glove**

ending with an open cuff of different length - 27, 35, 45 cm

**additionally protects the forearm**

### STANDARDS

EN 388:2016 (4121X); EN 420:2003+A1:2009; EN ISO 374-1:2016/-TYPE A - J = n-Heptane - 2 level, K = 40% Sodium Hydroxide - level 6, L = 96% Sulphuric Acid - 3 level, M = 65% Nitric Acid - 3 level, P = 30% Hydrogen Peroxide - 6 level, S = 40% Hydrofluoric Acid - 5 level, T = 37% Formaldehyde - 6 level; EN ISO 374-5:2016 Resistance to Bacteria and Fungi - Pass, Resistance to Virus - Pass; EN 374-4:2013 J - 3,9%, K - 13,5%, L - 62,4%, M - 34,3%, P - -1,7%, S - not tested, T - 1,4%; EAC TP TC 019/2011

### TECHNOLOGIES

R-Th Formula, Sanitized Actifresh, Cotton Comfort

### SIZES

10



PVC - high quality

**it allows you to immerse the hand**

PVC has a foam structure

**it does not become solid even at very low temperatures that makes working safe and comfortable in the most difficult conditions**

Ins-Tech system

**high coefficient of thermal insulation**

R-Th Formula

**provides resistance to fats, oils, water and resistance to chemical and microbiological hazards**

Sanitized Actifresh® standard

**preventing the growth of fungi and bacteria in the glove**

a long cuff

**additionally protects the forearm**

## RS POLAR I

### STANDARDS


EN 388:2016 (3121X); EN 420:2003+A1:2009; EN ISO 374-1:2016/-TYPE A - A = Methanol - 2 level, L = 96% Sulphuric Acid - 2 level, K = 40% Sodium Hydroxide, M = 65% Nitric Acid, T = 37% Formaldehyde - level 6, P = 30% Hydrogen Peroxide - level 6, S = 40% Hydrofluoric Acid - 4 level; EN ISO 374-5:2016 - Resistance to Bacteria and Fungi - Pass, Resistance to Virus - Pass; EN 511:2006 - III; EN 374-4:2013 - A - -34,6%, L - 2,5%, K - -32,2%, M - -57,8%, T - -58,8%, P - -59,8%, S - Not Tested; EAC TP TC 019/2011

### TECHNOLOGIES

R-Th Formula, Ins-Tech, Sanitized Actifresh

### SIZES

10



R-Th Formula

**provides resistance to fats, oils, water and resistance to chemical and microbiological hazards**

Sanitized Actifresh® standard

**preventing the growth of fungi and bacteria in the glove**

ending with an open cuff of different length - 27, 35, 45 cm

**allows to immerse a hand**

## RS PVC

### STANDARDS

EN 388:2016 (4121X); EN 420:2003+A1:2009; EN ISO 374-1:2016/-TYPE A - A = Methanol - 2 level, K = 40% Sodium Hydroxide - 6 level, L = 96% Sulphuric Acid - 3 level, M = 65% Nitric Acid - 3 level, T = Formaldehyde - 6 level, P = 30% Hydrogen Peroxide - 6 level, S = Hydrofluoric Acid - 5 level; EN ISO 374-5:2016 - Resistance to Bacteria and Fungi - Pass, Resistance to Virus - Pass; EN 374-4:2013 - A - -19,8%, K - -21,5%, L - -31,9%, M - -8,0%, T - -16,6%, P - -3,1%, S - Not Tested; EAC TP TC 019/2011

### TECHNOLOGIES

R-Th Formula, Sanitized Actifresh

### SIZES

10



**CHEMIEINDUSTRIE**

## Chemical protection

Chemical protection covers the highest category among hazards in the work environment, therefore all products from the chemical-proof line meet the 374 standard. RS Chemieindustrie gloves provide oil resistance, water resistance, as well as resistance to chemical and microbiological hazards.

### Standards

EN 420



EN 388



EN 374



### Technologies



R-TH  
FORMULA



SANITIZED  
ACTIFRESH



COTTON  
COMFORT

22

WORK AND PROTECTIVE GLOVES



Cold protection



**KÄLTE**

## RS SYNTH TEC WINTER

Insulated glove made of synthetic leather. It does not absorb water and is windproof. Finished with a tightening elastic. Insulated with the Ins-Tech system.



STANDARDS	EN 388:2016 (2132X), EN 420:2003+A1:2009, EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	7, 8, 9, 10, 11

## RS COMFO TEC WINTER

Insulated assembly, reinforced split goat leather (grain, selecting) glove. Finished with an open cuff. The dressing combines ergonomics at work with hand protection even in difficult conditions.



STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11




KÄLTE

## Cold protection

Thermal insulation – this is the main task of RS Kälte products. Our winter gloves offer includes various models designed for activities performed at reduced temperatures. They efficiently protect the hands of light and heavy industry workers from the cold.

### Standards



### Technologies



WATERPROOF THINSULATE INS TECH



SANITIZED  
ACTIFRESH



KÄLTE

## THINSULATE

Patented technology related to the insulation of various types of products intended for the cold environment. It has found its application in the production of work gloves, both those designed for outdoor work under conditions of reduced temperature, as well as in cold rooms. Thinsulate material has gained popularity due to a number of properties beyond the thermal insulation itself – resistance to water, which is extremely important when working in a cold environment, washability, as well as air permeability, which allows the breathability of the material and hand in the glove.



THINSULATE



- softshell  
**windproof and not absorbing water**
- goat leather  
**comfort of use**
- System Ins-Tech  
**insulated glove, for work in low temperature environments**
- finished with an elastic band  
**holds the glove in place**

### RS EISKERN

STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



- insulated glove  
**reliable protection in a low temperature environment**
- fully leather glove  
**only natural grain cow leather**
- all made of one piece of skin  
**the most loaded place on the glove – index finger, trimmed with leather**
- finished with a leather cuff  
**additionally protects the forearm**

### RS FAHRER WINTER

STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120)
TECHNOLOGIES	Ins-Tech
SIZES	8, 9, 10, 11, 12



- Ins-Tech system  
**material with high thermal insulation parameters**
- the latex mixture, used for manufacturing of the glove, has the optimum concentration  
**increase the durability with due regard for optimal price**
- the glove has a knitted acrylic lining  
**due to the fact that the insulated lining is made of the draped acrylic, the glove dries immediately even when damp**
- gloves' sizing  
**allow you to choose the ideal size for your hand and work that requires high precision**

### RS SAFE TEC WINTER

STANDARDS	EN ISO 21420:2020, EN 388:2016 (4232X), EN 511:2006 (X3X), EN 407:2020 (X2XXXX)
TECHNOLOGIES	Ins-Tech
SIZES	8, 9, 10, 11



- synthetic leather glove  
**windproof and not absorbing water**
- soft and comfortable glove  
**comfort of use**
- System Ins-Tech  
**insulated glove, for work in low temperature environments**

### RS EISBERG

STANDARDS	EN 388:2016 (2122X), EN 420:2003+A1:2009, EN 511:2006 (120), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



- hermetic membrane between lining and material  
**the glove is 100% waterproof**
- flexible pig grain leather  
**the leather after it's been wet and dry, does not harden and remains suitable for comfortable working**
- Thinsulate system  
**perfect insulation in cold environment**
- the elasticsation at the glove end connected with the cuff  
**additionally protects the forearm**

### RS GLETSCHER WATERPROOF

STANDARDS	EN 388 (3122), EN 420, EN 511 (220), EAC TP TC 019/2011
TECHNOLOGIES	Waterproof, Thinsulate
SIZES	10, 11



- elastic grain pig leather  
**mechanical resistance and durability with comfort during working**
- the leather after it's been wet and dry does not harden  
**the glove is suitable for use in wet environments**
- Ins-Tech system  
**material with high thermal insulation parameters**
- trimmed with leather thumb  
**provides full protection for your hand and extends the life of the gloves**
- a rubberized hardened cuff  
**additionally protects the forearm and allows to tuck the protective clothing sleeve in the glove**

### RS STIER POLAR [AVAILABLE ALSO IN PREMIUM VERSION]

STANDARDS	EN 388:2016 (3122X), EN 420:2003+A1:2009, EN 511:2006 (220), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



KÄLTE

### INS-TECH

Insulation system that provides comfort in a low temperature environment. Gloves equipped with this technology perfectly insulate and reduce the negative impact of cold factors on the hands and comfort of the user.



- reinforced with selected goatskin  
**soft inside, smooth and durable outside**
- Ins-Tech insulation system  
**reliable protection in cold working environments**
- Touch Screen glove  
**allows you to work with touch screens**
- Softshell fabric  
**the glove is windproof and does not absorb water**
- Velcro closure  
**comfortably placed on the hand, in an unchanging position**

### RS ECO TEC WINTER

STANDARDS	EN 420:2003+A1:2009, EN 388:2016 (2122X), EN 511:2006 (120)
TECHNOLOGIES	Ins-Tech
SIZES	9, 10, 11



- PVC - high quality  
**it allows you to immerse the hand**
- PVC has a foam structure  
**it does not become solid even at very low temperatures that makes working safe and comfortable in the most difficult conditions**
- Ins-Tech system  
**high coefficient of thermal insulation**
- Sanitized Actifresh® standard  
**preventing the growth of fungi and bacteria in the glove**
- soft ribbed wrist  
**keeps it in a proper position on the wrist and doesn't affect blood circulation in your hand**

### RS POLAR II

STANDARDS	EN 388:2016 (3121X), EN 420:2003+A1:2009, EN 511:2006 (111), EAC TP TC 019/2011
TECHNOLOGIES	Ins-Tech
SIZES	10



INS-TECH



Tactics, hobby and gardening



# HARDWARE

## RS WERBER

The most comfortable leather glove on the market, made of goat grain leather. Full comfort of work during light and precise work, as well as during sports and recreational activities.



goat grain leather  
**the leather inside the glove is soft and pleasant to the touch, which significantly improves the comfort of work**

unique modular construction of the glove  
**anatomical shape, adapted to the characteristics of the hand's work**

glove sizing  
**precise fit to the hand and comfortable working in an environment requiring high precision**

finished with a wide Velcro  
**the glove is comfortably placed on the hand in an unchanged position**

STANDARDS	EN 388:2016 (3121X), EN 420:2003+A1:2009
SIZES	8, 9, 10, 11



ultra high-quality goat grain leather  
**comfort of work**


Thumb trimmed with terry cloth  
**the ability to wipe sweat quick-drying material**

glove sizing  
**precise fit to the hand and comfortable working in an environment requiring high precision**

finished with a wide Velcro  
**the glove is comfortably placed on the hand in an unchanged position**

## RS FARRA TEC

STANDARDS	EN 388:2016 (3243X), EN 420:2003+A1:2009, EAC TP TC 019/2011
SIZES	9, 10



anatomical shape of the hand, slightly bent fingers  
**work comfort**


made of perforated goatskin  
**perfect work ergonomics**

sewn in EVA gel - foam  
**protects against external threats and provides shock absorption**

fastened with two snaps  
**adjustable to the wrist**

## RS BASTLER

STANDARDS	EN 420:2003+A1:2009, EN 388:2016 (3243X)
TECHNOLOGIES	Natur
SIZES	7, 8, 9, 10, 11




HARDWARE

## Tactics, hobby and gardening

A series of fitting gloves intended for the workshop, home and garden. Our offer also includes non-industrial gloves, recommended for housework, and fitting mechanics type gloves for excellent grip.

### Standards



### Technologies



NATUR



## HARDWARE

## NATUR

Gloves bearing this sign are made of natural materials only.

## Standards

EN 420

EN 388



## Technologies



NATUR



synthetic leather coated with silicone mesh  
**provides a secure grip**

the upper side is made of elastic fabric with ventilation holes  
**allows you to get rid of excessive sweating and helps to prevent abrasions**

Velcro-type fastening  
**prevents sliding the glove off of the hand**

## RS SLIP STOP

STANDARDS	EN ISO 21420:2020, EAC TP TC 019/2011
SIZES	9, 10



coating with a roughened latex  
**roughening causes latex elasticity and good grip of the glove**

the cotton fabric is made on base of technology Interlock®  
**ensures sweat absorption and density of the stitching**

gloves' sizing  
**allows you to choose the right size for your hand so as to ensure working in comfort**

the elasticsation at the glove end  
**keeps the glove in a proper position on the wrist**

## RS SAFE EX

STANDARDS	EN 388:2016+A1:2018 (3344A), EN ISO 21420:2020, EN 407:2020 (X2XXXX)
SIZES	9, 10, 11



genuine, yellow in color pig leather  
**the leather after it's been wet and dry does not harden**

shock absorber micro cushions  
**increase grip and comfort during working**

the upper part is made of the elastic fabric with ventilation holes  
**allows you to get rid of excessive sweating and helps to avoid abrasions**

Velcro-type fastening  
**prevents sliding the glove off of the hand**

## RS RACER

STANDARDS	EN ISO 21420:2020, EAC TP TC 019/2011
SIZES	9, 10



Touch Screen glove - patches on the forefinger and thumb  
**the ability to work with touch screens**

covered with sheepskin  
**perfect work ergonomics**



Softshell material  
**soft and comfortable**

finished with Velcro  
**the glove is comfortably placed on the hand in an unchanged position**

## RS BILDSCHIRM

STANDARDS	EN 420:2003+A1:2009, EN 388:2016 (2132X)
SIZES	7, 8, 9, 10, 11

# Follow us on Facebook, Instagram and on our website.



[www.rs-schutz.com](http://www.rs-schutz.com)



Rękawice-RS-Polska



[rs\\_schutz\\_com](https://www.instagram.com/rs_schutz_com)

## RS Gloves Guide - check and compare the most important features of our gloves

glove name	product line	glove type	short description	page
Bastler	Hardware	mechanics type glove	perforated goatskin with press studs	27
Bildschirm	Hardware	mechanics type glove	sheep grain leather, softshell	28
Citrin	Leichtindustrie	nitrile glove	resistant to fats, oils and water	19
Comfo Tec	Leichtindustrie	assembly glove	goat selective grain leather	17
Comfo Tec Winter	Kälte	insulated assembly work glove	split goat leather	23
Comfort Premium	Metallindustrie	welding glove	kevlar, premium quality	8
Conductor ESD	Leichtindustrie	antistatic glove coated with polyurethane	antistatic	17
Duplo	Chemieindustrie	anti-chemical glove	foamed PVC with a rough surface	21
Eco Tec Premium	Leichtindustrie	assembly glove	goat selective grain leather with velcro	18
Eco Tec Winter	Kälte	insulated	grain goat leather with velcro, touch screen	25
Eisberg	Kälte	insulated	synthetic leather	24
Eiskern	Kälte	insulated	softshell	24
Elbe Pro	Schwerindustrie	anticut	kevlar, reinforced with split leather	12
Fahrer	Schwerindustrie	full-grain leather glove	cow grain leather	13
Fahrer Winter	Kälte	insulated full grain leather	cow grain leather	24
Farra Tec	Hardware	mechanics type glove	goat grain leather	27
Feder	Leichtindustrie	assembly glove	synthetic leather, the back tightened with an elastic band	15
Flott Tec	Leichtindustrie	ultrathin, covered with polyurethane	thin glove for precision work	15
Gletscher Waterproof	Kälte	insulated work glove	grain leather, waterproof, Thinsulate	25
Heavy	Schwerindustrie	work glove	cow split premium leather	12
Herbst	Leichtindustrie	dense stitch, latex coated	to temperatures below room temperature	16
Jumbo	Metallindustrie	welding glove	kevlar, premium quality	8
Opal 800	Schwerindustrie	heavy nitrile glove	resistant to fats, oils and water	13
Polar I	Chemieindustrie	anti-chemical glove	anti-chemical and insulated	21
Polar II	Kälte	insulated work glove	foamed PVC	25
PVC	Chemieindustrie	anti-chemical glove	PVC	21
Racer	Hardware	mechanics type glove	full-grain leather	28
Rand ESD	Leichtindustrie	antistatic glove coated with polyurethane	cut-resistant gloves	15

glove name	product line	glove type	short description	page
Reiter	Schwerindustrie	full-grain leather glove	cow grain leather, elasctication	13
Safe Ex	Hardware	latex glove on a knitted cotton insert	great grip	28
Safe Tec Black	Leichtindustrie	assembly glove	black, latex	16
Safe Tec Winter	Kälte	insulated glove	roughened latex	24
Skin Tec	Leichtindustrie	assembly glove	goat selective grain premium leather	18
Slip Stop	Hardware	mechanics type glove	silicone mesh	28
Soft Tec	Leichtindustrie	assembly glove	goat selective grain leather, elastication	18
Split	Metallindustrie	welding glove	welding glove	8
Split KEV	Metallindustrie	welding glove	kevlar	7
Stier Polar	Kälte	insulated work glove	grain pig leather	25
Stier Premium	Schwerindustrie	work glove	grain pig leather	12
Stromer ESD	Leichtindustrie	antistatic glove coated with polyurethane	antistatic	17
Super Heavy	Schwerindustrie	work glove	cow split leather for diamond-cutters	11
Super-V	Schwerindustrie	work glove	cow split leather	11
Synth Tec	Leichtindustrie	work glove	synthetic leather	19
Synth Tec Winter	Kälte	insulated glove	synthetic leather	23
Therm	Metallindustrie	thermal glove	resistant to contact heat	9
Tigon	Metallindustrie	welding glove - TIG	cow grain leather	9
Tigon Goat	Metallindustrie	welding glove - TIG	goat grain leather	9
Tigon Premium	Metallindustrie	welding glove - TIG	kevlar, premium quality	7
Topas	Leichtindustrie	nitrile glove	resistant to fats, oils and water	19
Topas Voll	Leichtindustrie	nitrile glove	resistant to fats, oils and water	19
Turr Premium	Schwerindustrie	work glove	cow grain leather	11
Ultra Tec	Leichtindustrie	assembly PU glove	precise work glove	16
Ultra Tec Grey	Leichtindustrie	assembly PU glove	precise work glove	16
Vic Tec	Schwerindustrie	work glove	cow split leather	12
Werber	Hardware	mechanics type glove	goat grain leather	27
Zirkon	Schwerindustrie	heavy nitrile glove	resistant to fats, oils and water	13



[WWW.RS-SCHUTZ.COM](http://WWW.RS-SCHUTZ.COM)

Check on the website

